


# Overview of the WRF-Hydro Modeling System



*D. Gochis, W. Yu, D. Yates, K. Sampson, A. Dugger, J. McCreight, M. Barlage,  
A. RafieeiNasab, J. Grim L. Read, L. Pan, Y. Zhang, M. McAllister, R. Saddique, K. FitzGerald,  
R. Cabell, A. Mazrooei, B. Kahzaei, E. Towler*

**National Center for Atmospheric Research**


# Motivation: An Array of Water Issues




# Overarching WRF-Hydro System Objectives

**A community-based, supported coupling architecture designed to provide:**


1. An extensible *multi-scale & multi-physics* land-atmosphere modeling capability for conservative, coupled and uncoupled *assimilation & prediction* of major water cycle components such as precipitation, soil moisture, snowpack, groundwater, streamflow, inundation
2. 'Accurate' and 'reliable' streamflow prediction across scales (from 0-order headwater catchments to continental river basins & minutes to seasons)
3. A robust framework for land-atmosphere coupling studies



# Water Cycle Modeling and Prediction within the WRF-Hydro System



## Colorado Flood of 11-15 Sept. 2013




Accumulated Precipitation (shaded colors)  
100m gridded streamflow (points)

# 1. Forecasts of water everywhere all the time

Current efforts are demonstrating the feasibility of Operational Quantitative Streamflow Forecasting (QSF):

- NSSL-FLASH, WRF-Hydro, LISFLOOD (UK), RAPID
- Spatial resolutions  $> 100\text{m}$  better
- Allows cycling from QPE and forecasting from QPN/QPF
- Emphasis on 0-6 hr gap




**Moving Beyond Point Flow Forecasts**

# 1. Forecasts of water everywhere all the time

## The NOAA National Water Model




**Snow Water Equivalent (SNEQV): Oct. 23, 2018**



**Total Column % Saturation ("SOILSAT"): Oct. 23, 2018**


# 1. Forecasts of water everywhere all the time

## The NOAA National Water Model




## 2. Coupled system flux predictions

FRNG\_1km\_cloudwater\_tskin\_NARR\_7\_18\_2004\_1800z



FRNG\_1km\_cloudwater\_tskin\_WRF-Hydro\_rtg\_7\_18\_2004\_1800z




Variability in surface fluxes are strongly coupled to convective initiation and cloud formation. Complex, non-linear feedback require coupled system representation

# 3. Moving beyond natural flows towards explicit accounting of infrastructure

## Including the control effects of and impacts on infrastructure:

- Dams and reservoirs (passive and actively managed)
  - Overbank storage and attenuation
  - Diversion structures, headgates
  - Levees, dikes
  - Failures of infrastructure (exceeding design capacity)
- \* Needs Infrastructure & Operations Data Standards**



Design storm streamflow capture by Barker Reservoir and Gross Reservoirs. Colorado Front Range

# 4. Probabilistic framework for meaningful risk forecasting


## Quantify analysis and forecast uncertainty to provide meaningful risk guidance

Provide forecasters and decision makers with probabilities of:

- Locations and time of rapid river stage increase
- Duration of high waters and inundation

***Requires maximizing the utility of High Performance Computing (HPC)***

### MRF Texas Flooding Oct. 23, 2018





# 5. Hydro-system dynamics

## Improving representation of landscape dynamics essential to flood risks:

- Geomorphological:
  - Bank stability
  - Sediment transport/deposition
  - Debris flows
- Land cover change due fire, urbanization, ag/silviculture

**\* Needs: improved channel, soils and land cover geospatial data**






# WRF-Hydro System Specifics


# WRF-Hydro Operating Modes

*WRF-Hydro operates in two major modes: coupled or uncoupled to an atmospheric model*

One-way (“uncoupled”) →




Two-way (“coupled”) ↔



- Uncoupled mode critical for spinup, data assimilation and model calibration
- Coupled mode critical for land-atmosphere coupling research and long-term predictions
- Model forcing and feedback components mediated by WRF-Hydro:
  - Forcings: T, Press, Precip., wind, radiation, humidity, BGC-scalars
  - Feedbacks: Sensible, latent, momentum, radiation, BGC-scalars

# WRF-Hydro Modular Calling Structure



# WRF-Hydro System-Level Coupling Capabilities

## **Completed:**


- Stand-alone, “Un-coupled” (1-d Noah & NoahMP land model driver)
- Coupled with the Weather Research and Forecasting Model (WRF-ARW)
- NOAA/NEMS (NOAA Environmental Modeling System, NUOPC)
- Coupled with LIS (WRF-Hydro v5.0, LISv7.2)
- Coupled into DART, JEDI

## **In Progress:**

- Coupling with PARFLOW integrated surface water / groundwater model (Col. School of Mines)

# WRF-Hydro Software Features


- Modularized Fortran
- Coupling options are specified at compilation and WRF-Hydro is compiled as a new library in WRF when run in coupled mode
- Physics options are switch-activated through a namelist/configuration file
- Options to output sub-grid state and flux fields to standards-based netcdf point and grid files
- **Fully-parallelized** to HPC systems (e.g. NCAR supercomputer) and “good” scaling performance
- Ported to Intel, IBM and MacOS systems and a variety of compilers (pg, gfort, ifort)



# WRF-Hydro Physics Components Pre-view



# WRF-Hydro V5.0 Physics Components

Goal...



# Basic Concepts:

- Linking the column structure of land surface models with the 'distributed' structure of hydrological models in a flexible, HPC architecture....




# WRF-Hydro V5.0 Physics Components

## NoahMP Column Physics:

Noah-MP contains several options for land surface processes:


1. Dynamic vegetation/vegetation coverage (4 options)
2. Canopy stomatal resistance (2 options)
3. Canopy radiation geometry (3 options)
4. Soil moisture factor for stomatal resistance (3 options)
5. Runoff and groundwater (4 options)
6. Surface layer exchange coefficients (4 options)
7. Supercooled soil liquid water/ice fraction (2 options)
8. Frozen soil permeability options (2 options)
9. Snow surface albedo (2 options)
10. Rain/snow partitioning (3 options)
11. Lower soil boundary condition (2 options)
12. Snow/soil diffusion solution (2 options)

Total of ~50,000 permutations can be used as multi-physics ensemble members



# 'Moving Water Around': scale and process issues


- Terrain features affecting moisture availability (scales ~1km)
  - Routing processes: the redistribution of terrestrial water across sloping terrain
    - Overland lateral flow (dominates in semi-arid climates)
    - Subsurface lateral flow (dominates in moist/temperate climates)
    - Shallow subsurface waters (in topographically convergent zones)
  - Channel processes
  - Built environment/infrastructure
  - Water management
- Other land surface controls:
  - Terrain-controlled variations on insolation (slope-aspect-shading)
  - Soil-bedrock interactions




# WRF-Hydro V5.0 Physics Components

## Runoff and Routing Physics:


### Overland Flow




### Lateral Subsurface Flow



### Simplified Baseflow Parameterization









### Channel Hydraulics



### Simple Water Management




# WRF-Hydro Physics Permutations


	WRF-Hydro Options	Current NWM Configuration
Column Land Surface Model 	<b>3 up-to-date column land models:</b> Noah, NoahMP (w/ built-in multi-physics options), Sac-HTET	NoahMP
Overland Flow Module 	<b>3 surface routing schemes:</b> diffusive wave, kinematic wave, direct basin aggregation	Diffusive wave
Lateral Subsurface Flow Module 	<b>2 subsurface routing scheme:</b> Boussinesq shallow saturated flow, 2d aquifer model	Boussinesq shallow saturated flow
Conceptual Baseflow Parameterizations 	<b>2 groundwater schemes:</b> direct aggregation storage-release: pass-through or exponential model	Exponential model
Channel Routing/Hydraulics 	<b>5 channel flow schemes:</b> diffusive wave, kinematic wave, RAPID, custom-network Muskingum or Muskingum-Cunge	Custom-network (NHDPlus) Muskingum-Cunge model
Lake/Reservoir Management 	<b>1 lake routing scheme:</b> level-pool management	Level-pool management



# WRF-Hydro Multi-Grids Domain Decomposition:



Land grid




Land routing grid cell: regriding

One CPU: Land grid, land routing grid cell, and channel routing nodes.

# WRF-Hydro V5.0 Physics Components



- Multi-scale aggregation/disaggregation:






# The WRF-Hydro Workflow

# WRF-Hydro Model Architecture




- Modes of operation..1-way vs. 2-way
- Model forcing and feedback components:
  - Forcings: T, Press, Precip., wind, radiation, humidity, BGC-scalars
  - Feedbacks: Sensible, latent, momentum, radiation, BGC-scalars


# WRF-Hydro Base Configuration



# Full WRF-Hydro Ecosystem




# WRF-Hydro Implementation Workflow




# Input Files

## WRF-Hydro Physics Components - Input Files



WRF-Hydro input and parameter files organized by model physics component. See the Key for files specific to a certain land model or channel configuration.

# WRF-Hydro Workflow - custom geographical inputs



# Model System Components



- **GIS Pre-Processor** – Physiographic data processing
- **ESMF Regridding Scripts** – Met. data pre-processing
- **Core WRF-Hydro Model** – Model physics
- **Rwrfhydro** – Analysis, verification, visualization
- **PyWrfHydroCalib** – Model calibration toolkit

# WRF-Hydro Setup and Parameterization: Python Pre-Processing Toolkit

- Python-based scripts
- ESRI ArcGIS geospatial processing functions
  - Support of multiple terrain datasets
    - NHDPlus, Hydrosheds, EuroDEM

*K. Sampson - developer*

[https://github.com/NCAR/wrf\\_hydro\\_arcgis\\_preprocessor](https://github.com/NCAR/wrf_hydro_arcgis_preprocessor)




Outputs: topography, flowdirection, watersheds, gridded channels, river reaches, lakes, various parameters

# Meteorological Forcing Engine – Used in NWM

*L. Karsten - developer*


- NEW!!! Python-based code...
- NLDAS, NARR analyses
- QPE products: MPE, StgIV, NCDC-served, dual-pol, Q3/MRMS, gauge analyses, CMOPRH, TRMM, GPM
- NOAA QPF products: GFS, NAM, RAP, HRRR, ExREF
- Nowcast (NCAR Trident/TITAN)
- NOHRSC SNODAS
- ESMF regridding tools




Regridded MPE precipitation during the 2013 Colorado Floods  
Unidata IDV display

# Meteorological Forcing Engine - NWM: Examples

Seasonally-varying MRMS RQI




Blended MRMS-HRRR Precipitation




Clouds & Weather


HRRR-RAP incoming longwave radiation



HRRR-RAP 2m Air Temperature



GFS – derived incoming shortwave radiation




# Data Assimilation with WRF-Hydro: HydroDART

## Current capabilities

- Ensemble DA:
  - Offline **WRF Hydro** + **DART** =  
“**HydroDART**”
- Ensemble generation:
  - Initial state & parameter perturbation, ensemble runs


## Future capabilities

- Variational DA and/or nudging:
  - Faster & computationally cheaper for large-scale applications.
  - Variational DA not rank-deficient
- Other kinds of DA (hybrid, MLEF, ...)
- Bias-aware filtering / Two-stage bias estimation (Friedland, 1969; Dee and de Silva, 1998; De Lannoy et al., 2007)






# Rwrhydro: R package for hydrological model evaluation

Observations Ingested for Model Evaluation in Rwrhydro:		
Variable	Dataset	Data type/format
Climate: precipitation, temperature, humidity, pressure, wind speed	GHCN	point obs
	USCRN	point obs
	HADS	point obs
	SNOTEL	point obs
Snow: SWE, fSCA, albedo	SNOTEL	point obs
	SNODAS	raster
	MODIS	raster
Soil Moisture: volumetric soil moisture by layer	SCAN	point obs
	USCRN	point obs
	ISMN	point obs
Energy: ET, skin temperature, albedo	Ameriflux	point obs
	MODIS	raster
Streamflow: flowrate, celerity	USGS	point obs
	CO & CA DWR	point obs





NWM Daily Streamflow Bias at USGS GAGES II Reference Gauges (2011-2016)



# WRF-Hydro Software Ecosystem



- Ecosystem overview: <https://github.com/NCAR/wrfHydro>
- Model: [https://github.com/NCAR/wrf\\_hydro\\_nwm\\_public](https://github.com/NCAR/wrf_hydro_nwm_public)
  - Public, community model, with version control system
  - Contributing guidelines, conventions, license, code of conduct
  - Python-based (pytest) testing framework (Python API)
- Python API: [https://github.com/NCAR/wrf\\_hydro\\_py](https://github.com/NCAR/wrf_hydro_py)
- Docker containers: [https://github.com/NCAR/wrf\\_hydro\\_docker](https://github.com/NCAR/wrf_hydro_docker)
  - Standard portable environments for working with the model
- Continuous Integration with Travis on Github (Docker + Python)
- “Discontinuous integration” at scale (cheyenne)
  - Large jobs, compilers with licenses
- ARC GIS preprocessing toolbox:  
[https://github.com/NCAR/wrf\\_hydro\\_arcgis\\_preprocessor](https://github.com/NCAR/wrf_hydro_arcgis_preprocessor)
- Analysis tool box: <https://github.com/NCAR/rwrfhydro>
- Training: [https://github.com/NCAR/wrf\\_hydro\\_training](https://github.com/NCAR/wrf_hydro_training)



# Community Engagement, Support & Training

## Community resources:

- Improved WRF-Hydro website & internet presence
- Helpdesk support
- New & increased volume of documentation, user guides, FAQs
- New test cases (standalone & coupled)
- Github repository
- Containerization of pre-processing tools & model run environment --> lowers barrier of entry

## Online Training Suite:

- YouTube video demo (w/ Spanish translation)
- Self-contained training modules using Docker & Jupyter Notebooks

## New lines of Communication & Support:

- Email listserv
- Online contact form + helpdesk ticketing system
- Online user forum - (users helping users)
- Twitter @WRFHydro
- Community spotlight
  - Users, research, & contributions to WRF-Hydro Community

**WRF-Hydro Modeling System**

**WRF-Hydro**

**OVERVIEW**

The WRF-Hydro® Project develops leading edge hydrometeorological and hydrologic models and modeling support tools to investigate critical water issues around the globe. As an open platform, we strive to build and support a diverse and inclusive community of hydrologic scientists and practitioners to meet worldwide needs for water resource planning, hazard prediction and mitigation.

*Water itself is boundless; so should be the community that studies it.*

WRF-Hydro®, an open-source community model, is used for a range of projects, including flash flood prediction, regional hydroclimatic impacts assessment, seasonal forecasting of water resources, and land-atmosphere coupling studies.

*The underlying goal of WRF-Hydro® development is to improve prediction skill of hydrometeorological forecasts using science-based numerical prediction tools.*

[Click here to read about WRF-Hydro Version 5 Updates.](#)

**WRF-HYDRO MODELING SYSTEM OVERVIEW**

- > Applications World Wide
- > Model Code
- > Technical Description & User Guides
- > FAQs
- > Terms of Use
- > Pre-Processing Tools
- > Rerunning Scripts
- > Test Cases
- > Meteorological & Terrain Data
- > RwrHydro
- > HydroInspector
- > Resources
- > Talks, Webinars & Articles
- > ACU 2018 Presentations
- > AMS 2019 Presentations
- > Training & Materials
- > Publications
- > Events & Announcements
- > Community Spotlight
- > User's Forum

**WRF-HYDRO SUPPORT**

- > Contact [wrfhydro@ucar.edu](mailto:wrfhydro@ucar.edu) for support
- > Subscribe for updates and announcements
- > Events

**WRF-HYDRO TWITTER**

Tweets by @WRFHydro

WRF-Hydro @WRFHydro  
"Slow-motion disaster" along Arkansas River. Every large community will see major  
Embed View on Twitter


**PRINCIPAL INVESTIGATOR**  
Dave Gochis  
Scientist III

WRF-Hydro Team

Colorado Flood of 11-15 Sept. 2013  
WRF-Hydro model output: Accumulated Precipitation (shaded colors), 100m gridded streamflow (points)



# WRF-Hydro Applications Around the Globe



## Operational Streamflow Forecasting

- U.S. National Weather Service National Water Model (NOAA/NWS, National Water Center, USGS, CUAHSI)
- Israel National Forecasting System (Israeli Hydrological Service)
- State of Colorado Upper Rio Grande River Basin Water Supply Forecasting (Colorado Water Conservation Board, NOAA/NSSL)
- NCAR-STEP Hydrometeorological Prediction (NCAR)
- Italy reservoir inflow forecasting (Univ. of Calabria)
- Romania National Forecasting System (Baron)

## Streamflow Prediction Research

- Flash flooding in Black Sea region of Turkey (Univ. of Ankara)
- Runoff production mechanisms in the North American Monsoon (Ariz State Univ.)
- Streamflow processes in West Africa (Karlsruhe Inst. Tech.)

## Coupled Land-Atmosphere Processes

- Diagnosing land-atmosphere coupling behavior in mountain-front regions of the U.S. and Mexico (Arizona State Univ., Univ. of Arizona)
- Quantifying the impacts of winter orographic cloud seeding on water resources (Wyoming Board on Water Resources)
- Predicting weather and flooding in the Philippines, Luzon Region (USAID, PAGASA, AECOM)
- RELAMPAGO in Argentina (Univ. of Illinois Urbana-Champaign, NCAR)

## Diagnosing Climate Change Impacts on Water Resources

- Himalayan Mountain Front (Bierknes Inst.)
- Colorado Headwaters (Univ. of Colorado)
- Bureau of Reclamation Dam Safety Group (USBR, NOAA/CIRES)
- Lake Tanganyika, Malawi, Water Supply (World Bank)
- Climate change impacts on water resources in Patagonia, Chile (Univ. of La Frontera)

## Coupling WRF-Hydro with Coastal Process Models

- Italy-Adriatic sea interactions (Univ. of Bologna)
- Lower Mississippi River Valley (Louisiana State University)
- Integrated hydrological modeling system for high-resolution coastal applications (U.S. Navy, NOAA, NASA)

## Diagnosing the Impacts of Disturbed Landscapes on Hydrologic Predictions

- Western U.S. Fires (USGS)
- West African Monsoon (Karlsruhe Inst. Tech.)
- S. America Parana River (Univ. of Arizona)
- Texas Dust Emissions (Texas A&M Univ.)
- Landslide Hazard Modeling (USGS)

## Hydrologic Data Assimilation:

- MODIS snow remote sensing assimilation for water supply prediction in the Western U.S. (Univ. of Colorado, Univ. of California Santa Barbara, NSIDC, NCAR)
- WRF-Hydro/DART application in La Sierra River basins in southeast Mexico (Autonomous National University of Mexico)



**WRF-Hydro**<sup>®</sup>  
MODELING SYSTEM

**WRF-Hydro:** [http://www.ral.ucar.edu/projects/wrf\\_hydro/](http://www.ral.ucar.edu/projects/wrf_hydro/)